CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-WHI

Laboratory Number: ATL-22810

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - White Strawberry Skunk Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	180.565	5.159
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	183.050	5.230
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1507.695	43.077
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	276.990	7.914
9R-HHC	<0.013	472.675	13.505
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	9.380	0.268
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	8.435	0.241
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	18.620	0.532
9R-HHCP	<0.010	303.765	8.679
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	8.23	0.24
Max Active CBD	N/D	N/D
Total Active Cannabinoids	2960.02	84.57
Total Cannabinoids	2961.18	84.61

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.

(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-WHI

Laboratory Number: ATL-22810

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 7/30/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - White Strawberry Skunk Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5%By Weight	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD		PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-WHI

Laboratory Number: ATL-22810

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - White Strawberry Skunk Hybrid

Net Weight: 3.5g / Disposable



Extraction Technician:KD

Analytical Chemist: KD

Kim Dang
Laboratory Manager

HEAVY METALS PROFILE

Passed

Analyte	LOD (ppb)	LOQ (ppb)	Action level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ
Lead (Pb)	11.76	100	500	<LOQ
Mercury (Hg)	.58	100	3000	<LOQ

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected Trace Cannabinoids detected but are below limit of quantification. LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor **(ppb) = Parts per Billion,(%) = Percent, (cfu/g) = Colony Forming Unit per Gram(cfu/g) = Colony Forming Unit per Gram,LOD = Limit of Detection, (µg/g) = Microgram per Gram(ppm) =Parts per Million, (ppm) = (µg/g), (aw) = aw(area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram**

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Report Issue Date: 8/12/2024

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-WHI

Order Date: 7/22/2024

Laboratory Number: ATL-22810

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - White Strawberry Skunk Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>> (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-WHI

Laboratory Number: ATL-22810

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - White Strawberry Skunk Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb, Permethrin,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T:Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-WHI

Laboratory Number: ATL-22810

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - White Strawberry Skunk Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR

PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-WHI

Laboratory Number: ATL-22810

Report Issue Date: 8/15/2024

Order Date: 7/22/2024

Analysis Date: 8/14/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - White Strawberry Skunk Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Trace n-heptane and n-pentane detected.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BLA

Laboratory Number: ATL-22800

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:
Torch 3.5G THC-A - Digital Pressure Blend - Black Cherry Gelato Indica

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	181.650	5.190
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	182.245	5.207
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1525.895	43.597
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	289.660	8.276
9R-HHC	<0.013	477.435	13.641
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	9.415	0.269
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	8.785	0.251
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	19.005	0.543
9R-HHCP	<0.010	305.445	8.727
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	8.26	0.24
Max Active CBD	N/D	N/D

	mg/disposable	%
Total Active Cannabinoids	2998.38	85.67
Total Cannabinoids	2999.54	85.70

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>>
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5GBLA

Laboratory Number: ATL-22800

Report Issue Date: 8/5/2024

Order Date: 7/22/2024

Analysis Date: 7/30/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Black Cherry Gelato Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5% mg/kg	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD	N/A	PASS

NOTES
LOD= Limit of detection

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5GBLA

Laboratory Number: ATL-22800

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Black Cherry Gelato Indica

Net Weight: 3.5g / Disposable



Extraction Technician:KD

Analytical Chemist: KD

Kim Dang
Laboratory Manager

HEAVY METALS PROFILE

Passed

Analyte	LOD (ppb)	LOQ (ppb)	Action level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ
Lead (Pb)	11.76	100	500	<LOQ
Mercury (Hg)	.58	100	3000	<LOQ

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected Trace Cannabinoids detected but are below limit of quantification. LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor **(ppb) = Parts per Billion,(%) = Percent, (cfu/g) = Colony Forming Unit per Gram(cfu/g) = Colony Forming Unit per Gram,LOD = Limit of Detection, (µg/g) = Microgram per Gram(ppm) =Parts per Million, (ppm) = (µg/g), (aw) = aw(area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram**

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5GBLA

Laboratory Number: ATL-22800

Report Issue Date: 8/2/2024

Order Date: 7/22/2024

Analysis Date: 8/2/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Black Cherry Gelato Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>> (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5GBLA

Laboratory Number: ATL-22800

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Black Cherry Gelato Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T:Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5GBLA

Laboratory Number: ATL-22800

Report Issue Date: 8/5/2024

Order Date: 7/22/2024

Analysis Date: 8/2/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Black Cherry Gelato Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR

PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5GBLA

Laboratory Number: ATL-22800

Report Issue Date: 8/14/2024

Order Date: 7/22/2024

Analysis Date: 8/14/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Black Cherry Gelato Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-SOU

Laboratory Number: ATL-22809

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Sour Lime Diesel Indica

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	180.670	5.162
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	186.480	5.328
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1516.445	43.327
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	281.540	8.044
9R-HHC	<0.013	479.010	13.686
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	9.555	0.273
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	8.365	0.239
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	17.990	0.514
9R-HHCP	<0.010	290.045	8.287
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	8.38	0.24
Max Active CBD	N/D	N/D
Total Active Cannabinoids	2968.92	84.83
Total Cannabinoids	2970.10	84.86

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>>
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-SOU

Laboratory Number: ATL-22809

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 7/30/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Sour Lime Diesel Indica

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5%By Weight	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD		PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-SOU

Laboratory Number: ATL-22809

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Sour Lime Diesel Indica

Net Weight: 3.5g / Disposable



Extraction Technician:KD

Analytical Chemist: KD

Kim Dang
Laboratory Manager

HEAVY METALS PROFILE

Passed

Analyte	LOD (ppb)	LOQ (ppb)	Action level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ
Lead (Pb)	11.76	100	500	<LOQ
Mercury (Hg)	.58	100	3000	<LOQ

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected Trace Cannabinoids detected but are below limit of quantification. LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor **(ppb) = Parts per Billion,(%) = Percent, (cfu/g) = Colony Forming Unit per Gram(cfu/g) = Colony Forming Unit per Gram,LOD = Limit of Detection, (µg/g) = Microgram per Gram(ppm) =Parts per Million, (ppm) = (µg/g), (aw) = aw(area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram**

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-SOU

Laboratory Number: ATL-22809

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Sour Lime Diesel Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>> (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-SOU

Laboratory Number: ATL-22809

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Sour Lime Diesel Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb, Permethrin,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T :Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-SOU

Laboratory Number: ATL-22809

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Sour Lime Diesel Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR

PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-SOU

Laboratory Number: ATL-22809

Report Issue Date: 8/15/2024

Order Date: 7/22/2024

Analysis Date: 8/14/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Sour Lime Diesel Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Trace n-heptane and n-pentane detected.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-RAI

Laboratory Number: ATL-22808

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Rainbow Truffle Indica

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	171.220	4.892
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	181.230	5.178
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1550.465	44.299
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	283.955	8.113
9R-HHC	<0.013	481.460	13.756
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	9.415	0.269
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	8.750	0.250
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	17.920	0.512
9R-HHCP	<0.010	312.935	8.941
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	8.26	0.24
Max Active CBD	N/D	N/D
Total Active Cannabinoids	3016.19	86.18
Total Cannabinoids	3017.35	86.21

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>>
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-RAI

Laboratory Number: ATL-22808

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 7/30/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Rainbow Truffle Indica

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5%By Weight	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD		PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-RAI

Laboratory Number: ATL-22808

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Rainbow Truffle Indica

Net Weight: 3.5g / Disposable



Extraction Technician:KD

Analytical Chemist: KD

Kim Dang
Laboratory Manager

HEAVY METALS PROFILE

Passed

Analyte	LOD (ppb)	LOQ (ppb)	Action level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ
Lead (Pb)	11.76	100	500	<LOQ
Mercury (Hg)	.58	100	3000	<LOQ

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected Trace Cannabinoids detected but are below limit of quantification. LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor **(ppb) = Parts per Billion,(%) = Percent, (cfu/g) = Colony Forming Unit per Gram(cfu/g) = Colony Forming Unit per Gram,LOD = Limit of Detection, (µg/g) = Microgram per Gram(ppm) =Parts per Million, (ppm) = (µg/g), (aw) = aw(area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram**

QR

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-RAI

Laboratory Number: ATL-22808

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 8/2/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Rainbow Truffle Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>> (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-RAI

Laboratory Number: ATL-22808

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Rainbow Truffle Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb, Permethrin,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T:Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-RAI

Laboratory Number: ATL-22808

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Rainbow Truffle Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-RAI

Laboratory Number: ATL-22808

Report Issue Date: 8/15/2024

Order Date: 7/22/2024

Analysis Date: 8/14/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Rainbow Truffle Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Trace n-heptane and n-pentane detected.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ART

Laboratory Number: ATL-22799

Report Issue Date: 7/25/2024

Order Date: 7/25/2024

Analysis Date: 7/25/2024

Sample Description:
Torch 3.5G THC-A - Digital Pressure Blend - Artic Gas Indica

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	182.630	5.218
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	183.540	5.244
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1533.700	43.820
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	279.650	7.990
9R-HHC	<0.013	470.365	13.439
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	8.995	0.257
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	8.995	0.257
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	18.550	0.530
9R-HHCP	<0.010	301.245	8.607
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	7.89	0.23
Max Active CBD	N/D	N/D
Total Active Cannabinoids	2986.56	85.33
Total Cannabinoids	2987.67	85.36

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>>
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ART

Laboratory Number: ATL-22799

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/6/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Artic Gas Indica

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5%By Weight	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD		PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ART

Laboratory Number: ATL-22799

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/6/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Artic Gas Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>> (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ART

Laboratory Number: ATL-22799

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Artic Gas Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb, Permethrin,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T:Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ART

Laboratory Number: ATL-22799

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/6/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Artic Gas Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR

PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ZKI

Laboratory Number: ATL-22811

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:
Torch 3.5G THC-A - Digital Pressure Blend - Zkittle Pop Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	175.000	5.000
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	184.625	5.275
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1550.115	44.289
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	283.080	8.088
9R-HHC	<0.013	478.975	13.685
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	9.555	0.273
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	7.595	0.217
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	18.410	0.526
9R-HHCP	<0.010	311.010	8.886
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	8.38	0.24
Max Active CBD	N/D	N/D
Total Active Cannabinoids	3017.19	86.21
Total Cannabinoids	3018.37	86.24

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ZKI

Laboratory Number: ATL-22811

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 7/30/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Zkittle Pop Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5%By Weight	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD		PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ZKI

Laboratory Number: ATL-22811

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Zkittle Pop Sativa

Net Weight: 3.5g / Disposable



Extraction Technician:KD

Analytical Chemist: KD

Kim Dang
Laboratory Manager

HEAVY METALS PROFILE

Passed

Analyte	LOD (ppb)	LOQ (ppb)	Action level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ
Lead (Pb)	11.76	100	500	<LOQ
Mercury (Hg)	.58	100	3000	<LOQ

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected Trace Cannabinoids detected but are below limit of quantification. LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor **(ppb) = Parts per Billion,(%) = Percent, (cfu/g) = Colony Forming Unit per Gram(cfu/g) = Colony Forming Unit per Gram,LOD = Limit of Detection, (µg/g) = Microgram per Gram(ppm) =Parts per Million, (ppm) = (µg/g), (aw) = aw(area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram**

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Report Issue Date: 8/12/2024

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ZKI

Order Date: 7/22/2024

Laboratory Number: ATL-22811

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Zkittle Pop Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>> (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ZKI

Laboratory Number: ATL-22811

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Zkittle Pop Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ZKI

Laboratory Number: ATL-22811

Report Issue Date: 8/15/2024

Order Date: 7/22/2024

Analysis Date: 8/14/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Zkittle Pop Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Trace n-heptane and n-pentane detected.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-GLI

Laboratory Number: ATL-22803

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:
Torch 3.5G THC-A - Digital Pressure Blend - Glitter Bomb Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	172.305	4.923
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	174.510	4.986
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1513.470	43.242
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	288.225	8.235
9R-HHC	<0.013	464.485	13.271
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	9.170	0.262
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	9.240	0.264
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	18.165	0.519
9R-HHCP	<0.010	296.065	8.459
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	8.04	0.23
Max Active CBD	N/D	N/D
Total Active Cannabinoids	2944.51	84.13
Total Cannabinoids	2945.64	84.16

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-GLI

Laboratory Number: ATL-22803

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 7/30/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Glitter Bomb Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5%By Weight	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD		PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-GLI

Laboratory Number: ATL-22803

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Glitter Bomb Hybrid

Net Weight: 3.5g / Disposable



Extraction Technician:KD

Analytical Chemist: KD

Kim Dang
Laboratory Manager

HEAVY METALS PROFILE

Passed

Analyte	LOD (ppb)	LOQ (ppb)	Action level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ
Lead (Pb)	11.76	100	500	<LOQ
Mercury (Hg)	.58	100	3000	<LOQ

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected Trace Cannabinoids detected but are below limit of quantification. LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor **(ppb) = Parts per Billion,(%) = Percent, (cfu/g) = Colony Forming Unit per Gram(cfu/g) = Colony Forming Unit per Gram,LOD = Limit of Detection, (µg/g) = Microgram per Gram(ppm) =Parts per Million, (ppm) = (µg/g), (aw) = aw(area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram**

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-GLI

Laboratory Number: ATL-22803

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/2/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Glitter Bomb Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-GLI

Laboratory Number: ATL-22803

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Glitter Bomb Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb, Permethrin,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T:Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-GLI

Laboratory Number: ATL-22803

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/6/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Glitter Bomb Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-GLI

Laboratory Number: ATL-22803

Report Issue Date: 8/15/2024

Order Date: 7/22/2024

Analysis Date: 8/14/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Glitter Bomb Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Trace n-heptane and n-pentane detected.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

QR

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ALA

Laboratory Number: ATL-22798

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend
- Alaskan Thunder Fuck Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	173.845	4.967
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	177.730	5.078
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1508.850	43.110
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	274.575	7.845
9R-HHC	<0.013	465.220	13.292
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	9.170	0.262
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	9.450	0.270
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	19.390	0.554
9R-HHCP	<0.010	295.260	8.436
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	8.04	0.23
Max Active CBD	N/D	N/D
Total Active Cannabinoids	2932.36	83.78
Total Cannabinoids	2933.49	83.81

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>>
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5GALA

Laboratory Number: ATL-22798

Report Issue Date: 8/2/2024

Order Date: 7/22/2024

Analysis Date: 7/30/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Alaskan Thunder Fuck Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5% mg/kg	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD	N/A	PASS

NOTES
LOD= Limit of detection

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5GALA

Laboratory Number: ATL-22798

Report Issue Date: 8/2/2024

Order Date: 7/22/2024

Analysis Date: 8/2/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Alaskan Thunder Fuck Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>> (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5GALA

Laboratory Number: ATL-22798

Report Issue Date: 8/2/2024

Order Date: 7/22/2024

Analysis Date: 8/2/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Alaskan Thunder Fuck Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T:Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5GALA

Laboratory Number: ATL-22798

Report Issue Date: 8/2/2024

Order Date: 7/22/2024

Analysis Date: 8/2/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Alaskan Thunder Fuck Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR

PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5GALA

Laboratory Number: ATL-22798

Report Issue Date: 8/2/2024

Order Date: 7/22/2024

Analysis Date: 8/1/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Alaskan Thunder Fuck Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	168.18	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-PPH

Laboratory Number: ATL-22806

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Pineapple Powerhouse Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	171.325	4.895
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	177.765	5.079
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1506.925	43.055
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	273.000	7.800
9R-HHC	<0.013	469.630	13.418
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	9.100	0.260
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	7.630	0.218
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	18.235	0.521
9R-HHCP	<0.010	297.815	8.509
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	7.98	0.23
Max Active CBD	N/D	N/D
Total Active Cannabinoids	2930.31	83.72
Total Cannabinoids	2931.43	83.76

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.

(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-PPH

Laboratory Number: ATL-22806

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 7/30/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Pineapple Powerhouse Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5%By Weight	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD		PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Report Issue Date: 8/9/2024

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-PPH

Order Date: 7/22/2024

Laboratory Number: ATL-22806

Analysis Date: 8/2/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Pineapple Powerhouse Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-PPH

Laboratory Number: ATL-22806

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Pineapple Powerhouse Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb, Permethrin,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T :Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-PPH

Laboratory Number: ATL-22806

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/6/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Pineapple Powerhouse Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR

PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-PPH

Laboratory Number: ATL-22806

Report Issue Date: 8/15/2024

Order Date: 7/22/2024

Analysis Date: 8/14/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Pineapple Powerhouse Hybrid

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Trace n-heptane and n-pentane detected.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-PKG

Laboratory Number: ATL-22807

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:
Torch 3.5G THC-A - Digital Pressure Blend - Pink Guava Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	172.375	4.925
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	177.730	5.078
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1526.665	43.619
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	295.680	8.448
9R-HHC	<0.013	468.020	13.372
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	9.135	0.261
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	8.610	0.246
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	17.605	0.503
9R-HHCP	<0.010	303.485	8.671
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	8.01	0.23
Max Active CBD	N/D	N/D
Total Active Cannabinoids	2978.18	85.09
Total Cannabinoids	2979.31	85.12

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Report Issue Date: 8/9/2024

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-PKG

Order Date: 7/22/2024

Laboratory Number: ATL-22807

Analysis Date: 7/30/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Pink Guava Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5%By Weight	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD		PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC >>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>> (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-PKG

Laboratory Number: ATL-22807

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Pink Guava Sativa

Net Weight: 3.5g / Disposable



Extraction Technician:KD

Analytical Chemist: KD

Kim Dang
Laboratory Manager

HEAVY METALS PROFILE

Passed

Analyte	LOD (ppb)	LOQ (ppb)	Action level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ
Lead (Pb)	11.76	100	500	<LOQ
Mercury (Hg)	.58	100	3000	<LOQ

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected Trace Cannabinoids detected but are below limit of quantification. LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor **(ppb) = Parts per Billion,(%) = Percent, (cfu/g) = Colony Forming Unit per Gram(cfu/g) = Colony Forming Unit per Gram,LOD = Limit of Detection, (µg/g) = Microgram per Gram(ppm) =Parts per Million, (ppm) = (µg/g), (aw) = aw(area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram**

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Report Issue Date: 8/9/2024

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-PKG

Order Date: 7/22/2024

Laboratory Number: ATL-22807

Analysis Date: 8/2/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Pink Guava Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-PKG

Laboratory Number: ATL-22807

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Pink Guava Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb, Permethrin,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T:Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-PKG

Laboratory Number: ATL-22807

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/6/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Pink Guava Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR

PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-PKG

Laboratory Number: ATL-22807

Report Issue Date: 8/15/2024

Order Date: 7/22/2024

Analysis Date: 8/14/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Pink Guava Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Trace n-heptane and n-pentane detected.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BBJ

Laboratory Number: ATL-22802

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:
Torch 3.5G THC-A - Digital Pressure Blend - Blueberry Jam Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	165.025	4.715
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	176.925	5.055
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1479.275	42.265
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	277.795	7.937
9R-HHC	<0.013	461.125	13.175
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	8.995	0.257
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	9.100	0.260
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	17.780	0.508
9R-HHCP	<0.010	296.835	8.481
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	7.89	0.23
Max Active CBD	N/D	N/D
Total Active Cannabinoids	2891.75	82.62
Total Cannabinoids	2892.86	82.65

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BBJ

Laboratory Number: ATL-22802

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 7/30/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Blueberry Jam Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5%By Weight	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD		PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BBJ

Laboratory Number: ATL-22802

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Blueberry Jam Sativa

Net Weight: 3.5g / Disposable



Extraction Technician:KD

Analytical Chemist: KD

Kim Dang
Laboratory Manager

HEAVY METALS PROFILE

Passed

Analyte	LOD (ppb)	LOQ (ppb)	Action level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ
Lead (Pb)	11.76	100	500	<LOQ
Mercury (Hg)	.58	100	3000	<LOQ

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected Trace Cannabinoids detected but are below limit of quantification. LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor **(ppb) = Parts per Billion,(%) = Percent, (cfu/g) = Colony Forming Unit per Gram(cfu/g) = Colony Forming Unit per Gram,LOD = Limit of Detection, (µg/g) = Microgram per Gram(ppm) =Parts per Million, (ppm) = (µg/g), (aw) = aw(area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram**

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BBJ

Laboratory Number: ATL-22802

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/2/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Blueberry Jam Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>> (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BBJ

Laboratory Number: ATL-22802

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Blueberry Jam Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb, Permethrin,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T:Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BBJ

Laboratory Number: ATL-22802

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/6/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Blueberry Jam Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR

PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

QR

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BRH

Laboratory Number: ATL-22802

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Blue Razz Haze Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Trace n-heptane and n-pentane detected.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ZOR

Laboratory Number: ATL-22812

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:
Torch 3.5G THC-A - Digital Pressure Blend - Zoreos Indica

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	175.280	5.008
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	184.730	5.278
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1543.675	44.105
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	273.910	7.826
9R-HHC	<0.013	475.790	13.594
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	9.485	0.271
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	8.120	0.232
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	18.340	0.524
9R-HHCP	<0.010	295.820	8.452
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	8.32	0.24
Max Active CBD	N/D	N/D
Total Active Cannabinoids	2983.98	85.26
Total Cannabinoids	2985.15	85.29

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.

(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Report Issue Date: 8/12/2024

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ZOR

Order Date: 7/22/2024

Laboratory Number: ATL-22812

Analysis Date: 7/30/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Zoreos Indica

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5%By Weight	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD		PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ZOR

Laboratory Number: ATL-22812

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Zoreos Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>> (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ZOR

Laboratory Number: ATL-22812

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Zoreos Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb, Permethrin,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T:Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ZOR

Laboratory Number: ATL-22812

Report Issue Date: 8/12/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Zoreos Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR

PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-ZOR

Laboratory Number: ATL-22812

Report Issue Date: 8/15/2024

Order Date: 7/22/2024

Analysis Date: 8/14/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Zoreos Indica

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Trace n-heptane and n-pentane detected.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BRH

Laboratory Number: ATL-22801

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:
Torch 3.5G THC-A - Digital Pressure Blend - Blue Razz Haze Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	175.140	5.004
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	176.015	5.029
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1506.750	43.050
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	287.980	8.228
9R-HHC	<0.013	463.120	13.232
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	9.030	0.258
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	9.065	0.259
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	18.970	0.542
9R-HHCP	<0.010	305.760	8.736
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	7.92	0.23
Max Active CBD	N/D	N/D
Total Active Cannabinoids	2950.72	84.31
Total Cannabinoids	2951.83	84.34

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>>
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BRH

Laboratory Number: ATL-22801

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Blue Razz Haze Sativa

Unit Weight: 2.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5%By Weight	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD		PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC >>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>> (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BRH

Laboratory Number: ATL-22801

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Blue Razz Haze Sativa

Net Weight: 2.5g / Disposable



Extraction Technician:KD

Analytical Chemist: KD

Kim Dang

Laboratory Manager

HEAVY METALS PROFILE

Passed

Analyte	LOD (ppb)	LOQ (ppb)	Action level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ
Lead (Pb)	11.76	100	500	<LOQ
Mercury (Hg)	.58	100	3000	<LOQ

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected Trace Cannabinoids detected but are below limit of quantification. LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor **(ppb) = Parts per Billion,(%) = Percent, (cfu/g) = Colony Forming Unit per Gram(cfu/g) = Colony Forming Unit per Gram,LOD = Limit of Detection, (µg/g) = Microgram per Gram(ppm) =Parts per Million, (ppm) = (µg/g), (aw) = aw(area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram**

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Report Issue Date: 8/9/2024

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BRH

Order Date: 7/22/2024

Laboratory Number: ATL-22801

Analysis Date: 8/2/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Blue Razz Haze Sativa

Unit Weight: 2.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BRH

Laboratory Number: ATL-22801

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Blue Razz Haze Sativa

Unit Weight: 2.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb, Permethrin,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T:Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BRH

Laboratory Number: ATL-22801

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/6/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Blue Razz Haze Sativa

Unit Weight: 2.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR

PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-BRH

Laboratory Number: ATL-22801

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Blue Razz Haze Sativa

Unit Weight: 2.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang

Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Trace n-heptane and n-pentane detected.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-LYC

Laboratory Number: ATL-22804

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:
Torch 3.5G THC-A - Digital Pressure Blend - Lychee Martini Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	169.820	4.852
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	175.455	5.013
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1502.445	42.927
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	288.610	8.246
9R-HHC	<0.013	475.440	13.584
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	9.100	0.260
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	8.750	0.250
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	17.955	0.513
9R-HHCP	<0.010	317.940	9.084
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	7.98	0.23
Max Active CBD	N/D	N/D

	mg/disposable	%
Total Active Cannabinoids	2964.40	84.70
Total Cannabinoids	2965.52	84.73

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>>
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-LYC

Laboratory Number: ATL-22804

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 7/30/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Lychee Martini Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5%By Weight	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD		PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC >>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>> (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-LYC

Laboratory Number: ATL-22804

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Lychee Martini Sativa

Net Weight: 3.5g / Disposable



Extraction Technician:KD

Analytical Chemist: KD

Kim Dang
Laboratory Manager

HEAVY METALS PROFILE

Passed

Analyte	LOD (ppb)	LOQ (ppb)	Action level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ
Lead (Pb)	11.76	100	500	<LOQ
Mercury (Hg)	.58	100	3000	<LOQ

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected Trace Cannabinoids detected but are below limit of quantification. LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor **(ppb) = Parts per Billion,(%) = Percent, (cfu/g) = Colony Forming Unit per Gram(cfu/g) = Colony Forming Unit per Gram,LOD = Limit of Detection, (µg/g) = Microgram per Gram(ppm) =Parts per Million, (ppm) = (µg/g), (aw) = aw(area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram**

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Report Issue Date: 8/9/2024

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-LYC

Order Date: 7/22/2024

Laboratory Number: ATL-22804

Analysis Date: 8/2/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Lychee Martini Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. >>> (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-LYC

Laboratory Number: ATL-22804

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Lychee Martini Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb, Permethrin,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T:Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-LYC

Laboratory Number: ATL-22804

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/6/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Lychee Martini Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR

PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-LYC

Laboratory Number: ATL-22804

Report Issue Date: 8/15/2024

Order Date: 7/22/2024

Analysis Date: 8/14/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Lychee Martini Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Trace n-heptane and n-pentane detected.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-MAN

Laboratory Number: ATL-22805

Report Issue Date: 7/24/2024

Order Date: 7/22/2024

Analysis Date: 7/24/2024

Sample Description:
Torch 3.5G THC-A - Digital Pressure Blend - Mango Orange Runtz Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	167.615	4.789
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	174.860	4.996
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1503.040	42.944
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	260.190	7.434
9R-HHC	<0.013	461.020	13.172
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	8.890	0.254
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	8.575	0.245
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	17.185	0.491
9R-HHCP	<0.010	308.735	8.821
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/disposable	%
Max Active THC	7.80	0.22
Max Active CBD	N/D	N/D
Total Active Cannabinoids	2909.02	83.11
Total Cannabinoids	2910.11	83.15

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-MAN

Laboratory Number: ATL-22805

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 7/30/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Mango Orange Runtz Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	<LOD	<1% By Weight	PASS
Hair	<LOD	<1% By Weight	PASS
Insects	<LOD	<1% By Weight	PASS
Feces	<LOD	<0.5%By Weight	PASS
Packaging Contaminants	<LOD	<1% By Weight	PASS
Other	<LOD		PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020

Accurate Test Lab, LLC 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA (954) 515 - 0200

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-MAN

Laboratory Number: ATL-22805

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Mango Orange Runtz Sativa

Net Weight: 3.5g / Disposable



Extraction Technician:KD

Analytical Chemist: KD

Kim Dang
Laboratory Manager

HEAVY METALS PROFILE

Passed

Analyte	LOD (ppb)	LOQ (ppb)	Action level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ
Lead (Pb)	11.76	100	500	<LOQ
Mercury (Hg)	.58	100	3000	<LOQ

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected Trace Cannabinoids detected but are below limit of quantification. LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor **(ppb) = Parts per Billion,(%) = Percent, (cfu/g) = Colony Forming Unit per Gram(cfu/g) = Colony Forming Unit per Gram,LOD = Limit of Detection, (µg/g) = Microgram per Gram(ppm) =Parts per Million, (ppm) = (µg/g), (aw) = aw(area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram**

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Report Issue Date: 8/9/2024

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-MAN

Order Date: 7/22/2024

Laboratory Number: ATL-22805

Analysis Date: 8/2/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Mango Orange Runtz Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang

Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LO	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-MAN

Laboratory Number: ATL-22805

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/9/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Mango Orange Runtz Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	NT	-	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	NT	-	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzen	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	NT	-			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	NT	-			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	NT	-			

NOTES

Not tested due to sample interference: Bifenazate, Etofenprox, Fenoxycarb, Permethrin,

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T :Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-LYC

Laboratory Number: ATL-22804

Report Issue Date: 8/9/2024

Order Date: 7/22/2024

Analysis Date: 8/6/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Lychee Martini Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:LL

Analytical Chemist:LL

Kim Dang
Laboratory Manager

Salmonella spp - STEC E. coli - Aspergillus

Microbe	Detected / absent	Action Limit	Pass / Fail
Salmonella spp	<LOD	<1 CFU per gram	PASS
STEC E.colli	<LOD	<1 CFU per gram	PASS
Aspergillus (flavus, fumigatus,terreus,niger)	<LOD	<1 CFU per gram	PASS

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable ; ND= Not detected; NT: Not tested ; LOD= <10 CFUs ; qPCR LOD= <1 CFU/g - Method of Analysis qPCR

PASS-FAIL; Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020

CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: 020524-TOR-PRD-D-3.5G-MAN

Laboratory Number: ATL-22805

Report Issue Date: 8/15/2024

Order Date: 7/22/2024

Analysis Date: 8/14/2024

Sample Description:

Torch 3.5G THC-A - Digital Pressure Blend - Mango Orange Runtz Sativa

Unit Weight: 3.5g / Disposable



Extraction Technician:AA

Analytical Chemist:AA

Kim Dang
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	<LOQ	400	PASS
Ethyl Alcohol	<LOQ	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Trace n-heptane and n-pentane detected.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-GCM-001
1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
info@accuratetestlab.com
(954) 515 - 0200